



PLAN

NOTE:

1. FOR TREES PLANTED WITHIN 6' OF A PERMANENT STRUCTURE (DRIVEWAY, SIDEWALK, CURB, ETC.,) INSTALL A DEEP ROOT BARRIER PLANTER No. 22-29-18P OR APPROVED EQUAL.
2. FOR TREES PLANTED IN A NON-IRRIGATED AREA OR WHERE HAND WATERING IS NECESSARY, INSTALL-AT THE PERIMETER-A 4"x30" P.V.C. DRAIN PIPE WITH 4" SLOAN GRATE 1" ABOVE FINISH GRADE
3. TREES SHALL BE PLANTED A MINIMUM OF 10' FROM SANITARY SEWER LATERALS AND 5' FROM WATER SERVICES AND DRIVEWAYS.

Revision		Date	Approved
Drawn : QT		Date : 05-07-99	
Checked : RK		Scale : NTS	
APPROVED		No 27089	EXP 03-31-01
		ASSISTANT PUBLIC WORKS DIRECTOR	
06-29-99		27089	
DATE		R.C.E. NO.	

**CITY OF MOUNTAIN VIEW
DEPARTMENT OF PUBLIC WORKS
STANDARD DETAIL**

TREE PLANTING AND STAKING

FILE NO. F-1